
AD-R187 189 TECHNIQUES IN LINEAR AND NONLINEAR PARTIAL DIFFERENTIAL 1/1
EQUATIONS(U) MEM YORK UNIV MY COURANT INST OF
HATHEMATICAL SCIENCES L NIRENBERG 14 SEP 87 5274286
UNCLASSIFIED ARO-21365.5-MA DAAG29-84-K-0150 F/G 21/1 ML



· Modern OFF RESOLUTION TEST CHART As Something

REPORT DOCUMENTATION PAGE

AD A407 400	1b. RESTRICTIVE MARKINGS N/A 3 DISTRIBUTION/AVAILABILITY OF REPORT				
AD-A187 109 ———					
					
26. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A		unlimited			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)			
5274286		ARO 21565.5-MA			
6. NAME OF PERFORMING ORGANIZATION COURANT Institute of	6b. OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION Office of Naval Research			
Mathematical Sciences		f			1
6c. ADDRESS (City, State and ZIP Code)		Resident Representative 7b. ADDRESS (City, State and ZIP Code)			
New York University		715 Broadway 5th floor			
251 Mercer St., New York, NY 10012		New York, NY 1003-6896			
Bo. NAME OF FUNDING/SPONSORING Bb. OFFICE SYMBOL		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
U.S. Army Research Office (If applicable)		DAAG29-84-K-0150			
Sc. ADDRESS (City, State and 21P Code)	10 SOURCE OF FUNDING NOS				
P. O. Box 12211		PROGRAM ELEMENT NO.	PROJECT NO.	TASK	WORK UNIT
Research Triangle Park, NC 27707-2211		ELEMENT NO.	140.	NO.	NO.
11. TITLE (Include Security Classification) Techni					
and nonlinear partial differen	itial equations	<u> </u>			1
12. PERSONAL AUTHOR(S) Professor	Louis Nirenber	g			
Final Technical FROM 7/	14. DATE OF REPORT (Yr. Mo. Day) 15 PAGE COUNT 1987, Sept. 14 ONE				
16 SUPPLEMENTARY NOTATION	23/8 <u>4 to 7/22/8</u> 7	1307,	Sept. 14		
N/A					
17. COSATI CODES	ontinue on reverse if no	cessary and identif	ly by block number	,	
FIELD GROUP SUB GR See attache				. ,	
	Jee artachet	1 •			
19. ABSTRACT (Continue on reverse if necessary and	Ludas (((), bu, black or or bea		<u> </u>	ia	
See attached.	DTIC		,		
	ELECT	=			
	788			· · · · · · · · · · · · · · · · · · ·	
	3		• •		* * * * * * *
		E & Clar	•		أنجه بنهاد
	ט	٠.,			
			A	-1	:
20. DISTRIBUTION/AVAILABILITY OF ABSTRAC	T	21 ABSTRACT SEC	URITY CLASSIFIC	ATION	11
UNCLASSIFIED/UNLIMITED & SAME AS RPT - DTIC USERS -		unclass	ified		
228. NAME OF RESPONSIBLE INDIVIDUAL			TELEPHONE NUMBER 22c OFFICE SYMBOL (Include Area Code)		BOL
DD FORM 1473, 83 APR	S OBSOLETE	ur	classifie	ad.	

18. Linear and nonlinear partial differential equations, elliptic, hypercolic, a priori estimates. Minimal surfaces, Probabilistic methods, Brownian motion, random walk, recursion theory, Variational methods. Vibration problems. Flame propagation, symmetry and antisymmetry of solutions. Singular solutions of Euler equations. Best constants in Sobolev inequalities. Semilinear equations in \mathbb{R}^n . Analytic methods in topology: Reidemeister torsion. Hamiltonian systems.

19. Elliptic equations: Much work has been done, especially for nonlinear, involving (i) new a priori estimates, (ii) variational methods and (iii) Brownian motion.

Nirenberg and collaborators have written a series of papers on fully nonlinuar elliptic equations — involving (i). For a function u in a domain they have studied equations of two types:

$$f(\lambda(u_{ij}(x))) = \psi(x) \tag{1}$$

$$f(\kappa(graph \ of \ u)) = \psi(x)$$
 (2)

Here λ represents the eigenvalues of the hessian, while κ represents the principal curvatures of the graph (x,u(x)). They consider various classes of symmetric (under permutation) functions f which are increasing in each argument (this is ellipticity) and concave. The new a priori estimates also yield an extension of the classical Bernstein theorem for a function u defined on Rⁿ satisfying the minimal surface equation; they prove: if $\nabla u(x) = o(|x|)$ at infinity then u is affine. Surprisingly, the result also extends to solutions of certain equations of the form (2). Vinacua has extended the results for (1) to the complex case.

SOCIETY TO SECURE TO THE PROPERTY OF THE PROPE

With Berestycki, Nirenberg has proved uniqueness, and other properties, for solutions of a semilinear elliptic equation in an infinite strip — representing a model of flame propagation. In addition they have studied questions of symmetry and antisymmetry. Grillakis and Jones have found radial solutions for classes of semilinear elliptic equations in \mathbb{R}^n , which change sign. Thomann and Escobar worked on a problem (arising in geometry) of finding best constant in the Sobolev immersion $\mathbb{W}^{1,p}(\mathbb{R}^n_+)$ into

 $L^{q}(R^{n-1})$, q = p(n-1)/(n-p); they solved the corresponding Euler Lagrange equation.

March has studied Brownian motion on complete simply connected manifolds. In addition he has worked on the connections between recursion theory and the discrete random Schrödinger equation with applications to the smoothness of the density of states in one dimension. Work has been done on random walk. Exending methods of Witten, Tangerman has given new analytic proofs of results of Ray and Singer and connections between topology (torsion) and geometry of manifolds.

Nonlinear hyperbolic equations. Various problems have been investigated: 1. Asymptotic behavior of solutions of the Klein Gordon equation. 2. Improved abstract theory of stability and instability of orbital solutions of infinite dimensional Hamiltonian systems. 3. Existence of nontrivial time-periodic solutions on the sphere S^n of semilinear wave equations — these results, of Zhou, include all previously known ones.

Fluid dynammics. Thomann and collaborator extended work of DiPerna and Majda on weak, singualr, solutions of the Euler equations in 2-dimensions by showing that certain kinds of singular solutions were simply not possible.

END DATE FILMED JAN 1988